



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	ISSUE DATE	PATENT NO.	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/196,680	04/10/2012	8151897	16114:E (-8002.US00)	9428

60708 7590 03/21/2012
FOR: TYCO FIRE PROTECTION PRODUCTS
PERKINS COIE LLP
700 Thirteenth Street, NW
Suite 600
Washington, DC 20005-3960

ISSUE NOTIFICATION

The projected patent number and issue date are specified above.

Determination of Patent Term Extension under 35 U.S.C. 154 (b) (application filed after June 7, 1995 but prior to May 29, 2000)

The Patent Term Extension is 0 day(s). Any patent to issue from the above-identified application will include an indication of the 0 day extension on the front page.

If a Continued Prosecution Application (CPA) was filed in the above-identified application, the filing date that determines Patent Term Extension is the filing date of the most recent CPA.

Any questions regarding the Patent Term Extension or Adjustment determination should be directed to the Office of Patent Legal Administration at (571)-272-7702. Questions relating to issue and publication fee payments should be directed to the Application Assistance Unit (AAU) of the Office of Data Management (ODM) at (571)-272-4200.

APPLICANT(s) (Please see PAIR WEB site <http://pair.uspto.gov> for additional applicants):

STEPHEN J. MEYER, MALVERN, PA;
GEORGE S. POLAN, PERKIOMENVILLE, PA;
JAMES E. GOLINVEAUX, NORTH WALES, PA;